

Moe Pipe Organ Company
Wadena, MN

3 manual and pedal pipe organ
\$169,900.00

CONSOLE: Compact AGO "stop-tab" console with AGO pedalboard
CASEWORK: None included, 120 sq ft of expression shades included
PREPARATION OF ORGAN SPACE: By Customer
INSTALLATION: Installation within 300 miles of Wadena, MN included
PIPEWORK: 11 ranks of high quality pipework scaled to meet the needs of the customer

Pipework Analysis

Great/Choir

8' Principal – 85 pipes
16' Hohl Flute – 85 pipes
4' Rohr Flute – 61 pipes
8' Gemshorn – 73 pipes
8' Clarinet – 73 pipes
1 3/5' Tierce TC – 37 pipes

Swell

8' Stopped Flute – 85 pipes
4' Geigen Principal – 61 pipes
8' Viola – 73 pipes
8' Viola Celeste TC – 49 pipes
8' Trumpet – 73 pipes

Stoplist
Great Organ

8' Principal
8' Hohl Flute
8' Gemshorn
8' Violas II Celeste TC
4' Octave
4' Flute
2 2/3' Twelfth
2' Super Octave
IV Mixture (derived)
8' Trumpet
8' Clarinet
Great to Great 4'
Swell to Great 16'
Swell to Great 8'
Swell to Great 4'

Choir to Great 16'
Choir to Great 8'
Choir to Great 4'
MIDI
Automatic Pedal

Swell Organ

16' Lieblich Gedeckt
8' Geigen Principal
8' Stopped Flute
8' Viola
8' Viola Celeste TC
4' Geigen Octave
4' Violina
4' Flute
2 2/3' Nazard
2' Piccolo
1 1/3' Larigot
16' Contra Trumpet
8' Trumpet
4' Clarion
Swell to Swell 16'
Swell Unison Off
Swell to Swell 4'
MIDI
Tremolo

Choir Organ

8' Rohr Flute
8' Gemshorn
4' Flute
4' Spitz Octave
2 2/3' Quinte
2' Flautino
1 3/5' Tierce
8' Clarinet
Choir to Choir 16'
Choir Unison Off
Choir to Choir 4'
Swell to Choir 16'
Swell to Choir 8'
Swell to Choir 4'
Tremolo
MIDI

Pedal Organ

32' Resultant
16' Subbass
16' Lieblich Gedeckt
8' Octave Bass
8' Bass Flute
8' Rohr Flute
8' Viola
4' Choral Bass
II Grave Mixture
16' Contra Trumpet
8' Trumpet
4' Clarinet
Great to Pedal 8'
Great to Pedal 4'
Swell to Pedal 8'
Swell to Pedal 4'
Choir to Pedal 8'
Choir to Pedal 4'
MIDI

Accessories

Balanced Swell Expression Pedal
Balanced Great/Choir Expression Pedal
Crescendo Pedal
Programmable Crescendo Sequence
Crescendo Indicator Bar Graph
Music Rack Light
Pedal Light
Organ Bench
Programmable Sforzando Reversible Piston and Toe Stud
Sforzando Indicator Light (in piston)
Locking Power Switch
Blower with enclosure
Rectifier
Choice of console finish
Solid-State Relay System
MIDI In-Thru-Out Interfaces and Connectors
12-Position Transposer: 5 semitones sharp; 6 semitones flat; normal
Digital Control Panel for MIDI, Memory Level, and Transposer functions
Rear-pivot Manual Keys
Up to 100 feet of Main Cable from Console to Organ
"Soft-Wind" action for 16' octave of Bourdon
Stop names are customizable
This is a chamber design and includes no casework or decorative grille-work

Combination Action

4 pistons affecting the Swell stops

Swell Cancel

4 pistons affecting the Great stops

Great Cancel

4 pistons affecting the Choir stops

Choir Cancel

4 toestuds affecting the Pedal stops

12 General Pistons affecting all the stops (7-12 duplicated by toe studs)

General Cancel

128 memory levels

Set piston